


 $\stackrel{\frown}{=}$


г	4	3		2	1	
D		(1) (13)(19) (2) (4) (3) (17)	2)	APPLY A SMALL LUBRICANT (62 ASSEMBLY TO ADJUST THE S OTHER SIZE PL PLUG ND. HE 75-1455-A . 75-1455-B . 75-1455-C . 75-1455-D . 75-1455-G .	AMOUNT OF NEVER SEE 5-03561) TO ALL THREAD PREVENT GALLING. PEED OF THE UNIT BY US UGS WHICH ARE LISTED 125 140 078 ZZLES BASED ON MODEL	D SING BELOW
С			19	75-1858 7 75-1858LP 7 75-1858C 7 75-1858CLP 7 1 7-33-1	75–1849AA 75–1849AA 75–1849CA 75–1849CA PLUG,SOLID	CRES
►	9 8		18 17 16 15 14 13 12 11 10	4 75-1455-C 1 75-1856 1 75-1852 1 75-1855 1 75-1863G 1 SEE NUTE 2 2 SEE NUTE 3 2 75-1847 1 75-1844	PLUG, BYPASS, Ø.125 PIN, ROLL, Ø.066 GEAR, BEVEL RING, RETAINING WASHER, SHAFT PLUG, BYPASS, AS REQUIRED NDZZLE ASSEMBLY RING, RETAINING CAP, SHAFT	18-8 CRES 302 CRES 316 CRES 316 CRES UHMW-PE 18-8 CRES 316 CRES
	TURQUE CHARTITEMTURQUENUMBERSPECIFICATIONS160 FT-LBS520 FT-LBS1020 IN-LBS1215 FT-LBS			1 75-1859 2 75-1846 1 75-1851 1 75-1851 1 75-1854 1 75-1853 1 75-1801SS 1 75-1857 1 75-1801SS 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807 1 75-1807	SHAFT, ELBOW BUSHING, FLANGED BODY, NOZZLE, GEARED BUSHING, SHAFT SHAFT, VERTICAL BODY, MAIN ROTOR, 6 TOOTH MOTOR, WATER, 4 HOLE CAP, INLET NOMENCLATURE OR DESCRIPTION	316 CRES UHMW-PE 316 CRES PTFE 316 CRES 316 CRES 316 CRES 316 CRES 316 CRES 316 CRES 316 CRES 316 CRES MATERIAL/SPECIFICATION
A	THIS PRINT IS AND CONTAINS PROPRIETARY INFORMATION OWNED EXCLUSIVELY BY SELLERS CLEANING SYSTEMS AND CLOUD TANK COMPANY. THIS RESTRICTION INCLUDES, BUT IS NOT LIMITED TO, THE CONDITION THAT THIS PRINT WILL ONLY BE USED AS A RECORD OR TO IDENTIFY OR INSPECT PARTS OR FOR OTHER INFORMATION PURPOSES, AND WILL NOT BE USED TO MANUFACTURE OR PROCURE THE MANUFACTURE OF THE PARTS SHOWN IN THIS PRINT BY ANY OTHER SOURCE THAN SELLERS CLEANING SYSTEMS AND CLOUD TANK COMPANY.	THIS DRAWING IS APPROVED FOR UNCONTROLLED DISTRIBUTION AS A RESULT OF SELLERS CLEANING SYSTEMS CONSTANT PRODUCT IMPROVEMENT PROGRAM, PRODUCT CHANGES MAY OCCUR, AS SUCH, SELLERS CLEANING SYSTEMS RESERVES THE RIGHT TO CHANGE PRODUCT WITHOUT PRIOR WRITTEN NOTIFICATION WWW.SELLERSCLEAN.COM SHEET 3 OF 3	DWG NO	CD75-1858	ORBI-G3	CAGE NO 96046 Sellers
L .	4	3		2	1	

12



L

3



4

L

	4	3	+	2		1
Премя с нали с на страниција на селека на			PLUG 75-14	1) APPLY A SMALL AI LUBRICANT (625-0 ASSEMBLY TO PRE 2) ADJUST THE SPEE DTHER SIZE PLUGS ND. HDLE Ø 55-A .063 55-B .093	U3561) TO ALL THR VENT GALLING. D OF THE UNIT BY S WHICH ARE LISTE JG NO. HOLE Ø -1455-C .125 -1455-D .140	EADS AT USING ED BELOW PLUG NO. HOLE Ø 75-1455-G .078
Image: constraint of the product intervent of the constraint of the product intervent of t				MDDEL ND NDZZL 75-1861B 75-184 75-1861BLP 75-184 75-1861C 75-184 V ITEM #18 MDDEL ND PLUC 75-1861C 75-1861 75-1861	E MDDEL ND 9EA 75-1861CLP 9EA 75-1861D 9CA 75-1861DLP 5 ND. HDLE Ø .455-D .140	NDZZLE 75-1849CA 75-1849DA
Image: constraints and contrains proprietary information owned its prime by some prime by and contrains proprietary information owned its prime by any other source of the prime by and contrains prime by any other source of the prime by and contrains prime by any other source of the prime by and contrains prime by any other source of the prime by any other source its prime by any o				18 4 SEE NOTE 4 17 1 75-1856 16 1 75-1852	PLUG, BYPASS PIN, ROLL, Ø.062 GEAR, BEVEL	18-8 CRES 316 CRES 316 CRES
ITEM TURQUE Instruction Instruction <thins< td=""><td></td><td></td><td></td><td>14 1 75-1863G 13 1 SEE NOTE 2 12 4 SEE NOTE 3 11 4 75-1847 10 2 75-1844 9 1 75-1860 8 4 75-1846</td><td>WASHER PLUG, BYPASS, SIZE NDZZLE ASSEMBLY RING, RETAINING CAP, SHAFT SHAFT, ELBDW BUSHING</td><td>UHMW-PE AS REQUIRED 18-8 CRES 316 CRES 302 CRES 316 CRES 316 CRES 316 CRES UHMW-PE</td></thins<>				14 1 75-1863G 13 1 SEE NOTE 2 12 4 SEE NOTE 3 11 4 75-1847 10 2 75-1844 9 1 75-1860 8 4 75-1846	WASHER PLUG, BYPASS, SIZE NDZZLE ASSEMBLY RING, RETAINING CAP, SHAFT SHAFT, ELBDW BUSHING	UHMW-PE AS REQUIRED 18-8 CRES 316 CRES 302 CRES 316 CRES 316 CRES 316 CRES UHMW-PE
Image: Nome product the print is and contains proprietary information owned exclusively by sellers cleaning systems and cloud tank company. This drawing is approved for uncontrolled distribution This drawing is approved for uncontrolled distribution This print will only be used as a record or to identify or ident	ITEM NUMBERTDRQUE SPECIFICATIONS160 FT-LBS520 FT-LBS1020 IN-LBS			6 1 75-1862 5 1 75-1854 4 1 75-1853 3 1 75-1801SS 2 1 75-1857	BUSHING, SHAFT SHAFT, VERTICAL BODY, MAIN ROTOR, 6 TOOTH MOTOR, WATER, 4 HO	PTFE 316 CRES 316 CRES 316 CRES 316 CRES LE 316 CRES
AND CLOUD TANK COMPANY. WWW.SELLERS CLEANING SYSTEMS AND CLOUD TANK COMPANY. SUCH, SELLERS CLEANING SYSTEMS RESERVES THE RIGHT TO CHANGE PRODUCT WITHOUT PROR WRITTEN NOTIFICATION WWW.SELLERSCLEAN.COM SHEET 3 OF 3 SHEET 3 OF 3	THIS PRINT IS AND CONTAINS PROPRIETARY INFORMATION OWNED EXCLUSIVELY BY SELLERS CLEANING SYSTEMS AND CLOUD TANK COMPANY THIS RESTRICTION INCLUDES, BUT IS NOT LIMITED TO, THE CONDITION THAT THIS PRINT WILL ONLY BE USED AS A RECORD OR TO IDENTIFY OR INSPECT	AS A RESULT OF SELLERS CLEANING SYSTEMS CO	NSTANT PRODUCT	ITEM QTY PART OR NO. REQD IDENTIFYING NO.	NOMENCLATURE DESCRIPTION PARTS LIST	OR MATERIAL/SPECIFICATIO
	MANUFACTURE OR PROCURE THE MANUFACTURE OF THE PARTS SHOWN IN THIS PRINT BY ANY OTHER SOURCE THAN SELLERS CLEANING SYSTEMS	SUCH, SELLERS CLEANING SYSTEMS RESERVE CHANGE PRODUCT WITHOUT PRIOR WRITTEN	S THE RIGHT TO NOTIFICATION EET 3 OF 3		(The second sec	CU gellers

15

